



NVLAP LAB CODE 500080-0

Ref. No.: IESNA 5000808

Date of issue: Mar 28, 2015

Version: 1.0

Total pages: 24



Test report of

IES LM-79-08

Approved Method: Electrical and Photometric

Measurements of Solid-State Lighting Products

Rendered to:

LIGHT EFFICIENT DESIGN, DIV OF TADD LLC

188 S. Northwest Highway Cary, IL60013

For products:

LED Street Light

Models:

LED-8090M5T4

Test date: Mar 25, 2015 to Mar 26, 2015

Test laboratory: LCTECH (Zhongshan) Testing Service Co.,Ltd
2/F., Technology and Enterprise Development Center, Guangyuan Road,
Xiaolan, Zhongshan, Guangdong, China

Laboratory note: N/A

Complied by:

Lin Qiu

Test Engineer

Mar 28, 2015

Reviewed by:

Richard Li

Technical Manager

Mar 28, 2015

The duplication of this report or parts of it and its use for advertising purposes is only allowed with permission of the testing laboratory. This report contains the result of the examination of the product sample submitted by the applicant. A general statement concerning the quality of the products from the series manufacture cannot be derived therefore. This report must not be used by the customer to claim product certification, approval or endorsement by NVLAP, NIST, or any agency of the Federal Government.



Table of Contents

1 General	3
1.1 Product Information	3
1.2 Standards or methods	4
1.3 Equipment list.....	4
2 Test conducted and method	5
2.1 Ambient Condition	5
2.2 Power Supply Characteristics.....	5
2.3 Seasoning and Stabilization	5
2.4 Electrical Instrumentation.....	5
2.5 Color Measurement Method	5
2.6 Total Luminous Flux Measurement Method.....	5
2.7 Luminous Intensity Distribution Measurement Method	5
2.8 Spatial Non-uniformity of Chromaticity.....	5
3 Test Result Summary	6
3.1 Electrical data.....	6
3.2 Photometric data.....	6
4 Test Data	7
4.1 Spectral Distribution	7
4.2 Chromaticity Diagram (CIE 1931).....	7
4.3 ANSI Chromaticity Quadrangles Diagram.....	8
4.4 Color Rendering Details	8
4.5 Goniometry Test Data.....	9
4.6 Zonal Lumen Summary	9
4.7 Flux Distribution.....	10
4.8 Luminaire Classification System (LCS).....	10
4.9 Polar Curves.....	11
4.10 ISOFOOTCANDLE Lines of Horizontal Illuminance.....	12
4.11 GU Graph	13
4.12 Candela Tabulation	14

1 General

1.1 Product Information

Brand Name	Light Efficient Design
Trade Mark	-
Luminaire Type	LED Street Light
Model Number	LED-8090M5T4
Rated Inputs	120-347VAC,50/60Hz
Rated Power	120 W
Rated Initial Lumens	10000 lm
Declared CCT	5000 K
Power Supply	Integral LED driver
LED Package, Array or Module	-
Date of Receipt Samples	Mar 23, 2015
Quantity of Receipt Samples	1 unit

Photo



Picture 1

1.2 Standards or methods

The following standards are partly or totally used or referenced for test:

No.	Name
ANSI/NEMA/ ANSLG C78.377-2011	Specifications for the Chromaticity of Solid State Lighting Products
ANSI C82.77-2002	Harmonic Emission Limits—Related Power Quality Requirements for Lighting Equipment
CIE Pub. No. 13.3-1995	Method of Measuring and Specifying Color Rendering of Light Sources
CIE Pub. No. 15:2004	Colorimetry
IES LM-79-08	Electrical and Photometric Measurements of Solid-State Lighting Products

1.3 Equipment list

ID	Instrument	Model name	Cal. date	Next cal. Date
AC Power supply	LC-I-923	CHP-500	2015-02-05	2016-02-04
AC Power supply	LC-I-987	APW-110N	2015-02-05	2016-02-04
Power analyzer	LC-I-928	WT210	2015-02-09	2016-02-08
Power analyzer	LC-I-954	WT210	2015-03-04	2016-03-03
Photometric colorimetric electric system (2 meter sphere)	LC-I-900	SPR3000	Before use	Before use
Standard lamp	LC-I-917	24V100W	2014-10-14	2015-10-13
Goniophotometer(with mirror)	LC-I-902	GMS2000	2014-05-14	2015-05-13
Wireless temperature transmitter	LC-I-958	DWRP-B(0)	2014-08-19	2015-08-18
Wireless temperature transmitter	LC-I-959	DWRP-B(0)	2014-08-19	2015-08-18

2 Test conducted and method

2.1 Ambient Condition

The ambient temperature in which measurements are being taken was maintained at $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$, the air flow around the sample(s) being tested did not affect the performance.

2.2 Power Supply Characteristics

The AC power supply had a sinusoidal voltage wave shape at the prescribed frequency (60 Hz) such that the RMS summation of the harmonic components does not exceed 3 percent of the fundamental during operation of the test item.

The voltage of AC power supply (RMS voltage) applied to the device under test was regulated to within ± 0.2 percent under load.

2.3 Seasoning and Stabilization

No seasoning was performed in accordance with IESNA LM-79-08. And before the measurement, the sample was stabilized until the light output and power variations were less than 0.5% in 30 minutes intervals (3 readings, 15 minutes apart).

2.4 Electrical Instrumentation

The calibration uncertainties of the instruments for AC voltage and current were less than 0.2 percent, and the calibration uncertainty of the AC power meter was less than 0.5 percent (95 % confidence interval, $k=2$).

2.5 Color Measurement Method

Spectral radiant flux was measured by a sphere (2 meter)-spectroradiometer system, and the color characteristics (Color rendering index, correlated color temperature, chromaticity coordinate) were calculated from these by software automatically.

2.6 Total Luminous Flux Measurement Method

Total luminous flux was measured by both sphere-spectroradiometer system and goniophotometer.

Spectral radiant flux was measured by a sphere (2 meter)-spectroradiometer system, and the total luminous flux was calculated from these by software automatically.

Light intensity distribution was measured by a type C goniophotometer (with mirror) which can keep the sample in burn position when the tests conduct, and the total luminous flux was calculated from the intensity data by software automatically.

2.7 Luminous Intensity Distribution Measurement Method

Luminous intensity distribution was measured by a mirror-type goniophotometer (Type C) which can keep the sample in burn position when the tests conduct, and the kinds of graph were generated by software automatically.

2.8 Spatial Non-uniformity of Chromaticity

The customer did not require this measurement.

3 Test Result Summary

3.1 Electrical data

Criteria Item	Result (Sphere)	Result (Goniophotometer)
Input Voltage	277.02 V~60Hz	277.02 V~60Hz
Input Current	0.464 A	0.466 A
Total Power	117.32 W	117.78 W
Power Factor	0.914	0.914
I-THD	19.9 %	-
Off-state Power	0.0 W	-


3.2 Photometric data

Criteria Item	Result (Sphere)	Result (Goniophotometer)
Total Lumens	10165.75 lm	10168.93 lm
Luminaire Efficacy	86.65 lm/W	86.34 lm/W
Correlated Color Temperature (CCT)	4934 K	-
Color Rendering Index (CRI)	76.8	-
R9	-8	-
Chromaticity Coordinate (x,y)	x=0.3479 y=0.3626	-
Chromaticity Coordinate (u,v)	u=0.2091 v=0.3269	-
Chromaticity Coordinate (u',v')	u'=0.2091 v'=0.4903	-
Duv	0.0043	-
Zone Lumens between 0-90°	-	99.5 %
Zone Lumens between 80-90°	-	2.9 %


Note: N.A.

4 Test Data

4.1 Spectral Distribution



4.2 Chromaticity Diagram (CIE 1931)






LCTECH



4.3 ANSI Chromaticity Quadrangles Diagram



4.4 Color Rendering Details

R1	R2	R3	R4	R5
74	81	86	76	74
R6	R7	R8	R9	R10
73	86	63	-8	55
R11	R12	R13	R14	R15
72	46	76	92	70



LCTECH



4.5 Goniometry Test Data

IES Classification	Type IV	Cut Off Classification	Non-Cutoff
Longitudinal Classification	Very Short	Luminous Length	0.130 m
Test Distance	18.70 m	Luminous Width	0.070 m
		Luminous Height	0.010 m

4.6 Zonal Lumen Summary

Zone	Lumens	%Lamp	%Fixt
0-30	1302.80	12.81%	12.81%
0-40	2505.39	24.64%	24.64%
0-60	7375.61	72.53%	72.53%
0-90	10119.35	99.51%	99.51%
90-120	36.72	0.36%	0.36%
90-130	40.45	0.40%	0.40%
90-150	45.18	0.44%	0.44%
90-180	49.58	0.49%	0.49%
0-180	10168.94	100.00%	100.00%
0-10	144.13		
10-20	434.22		
20-30	724.45		
30-40	1202.59		
40-50	2341.92		
50-60	2528.29		
60-70	1522.70		
70-80	926.19		
80-90	294.87		
90-100	27.77		
100-110	4.66		
110-120	4.30		
120-130	3.73		
130-140	2.57		
140-150	2.16		
150-160	2.05		
160-170	1.69		
170-180	0.66		



LCTECH

4.7 Flux Distribution



	Lumens	Percent Of Lamp
Downward Street Side	6697.9	65.9
Downward House Side	3421.5	33.6
Downward Total	10119.4	99.5
Upward Street Side	26.9	0.3
Upward House Side	22.7	0.2
Upward Total	49.6	0.5
Total Flux	10169.0	100.0


4.8 Luminaire Classification System (LCS)

	Lumens	% Lamp	% Luminaire
FL - Front-Low (0-30)	680.1	6.7	6.7
FM - Front-Medium (30-60)	4034.5	39.7	39.7
FH - Front-High (60-80)	1744.3	17.2	17.2
FVH - Front-Very High (80-90)	239.0	2.4	2.4
BL - Back-Low (0-30)	622.7	6.1	6.1
BM - Back-Medium (30-60)	2038.3	20.0	20.0
BH - Back-High (60-80)	704.6	6.9	6.9
BVH - Back-Very High (80-90)	55.9	0.5	0.5
UL - Uplight-Low (90-100)	27.8	0.3	0.3
UH - Uplight-High (100-180)	21.8	0.2	0.2
Total	10169.0	100.0	100.0



LCTECH

4.9 Polar Curves



Maximum Candela = 6409.82 Located At Horizontal Angle = 345, Vertical Angle = 72

1 - Vertical Plane Through Horizontal Angles (345 - 165) (Through Max. Cd.)

2 - Vertical Plane Through Horizontal Angles (0 - 180)

3 - Vertical Plane Through Horizontal Angles (90 - 270)


4 - Horizontal Cone Through Vertical Angle (72) (Through Max. Cd.)



LCTECH



4.10 ISOFOOTCANDLE Lines of Horizontal Illuminance






LCTECH

4.11 GU Graph



Ref. No. LCZP-16030808





LCTECH



4.12 Candela Tabulation

Vert. Angles	Horizontal Angles									
	0	15	30	45	60	75	90	105	120	135
0	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58
1	1497.37	1499.47	1502.62	1503.67	1505.42	1505.77	1509.61	1502.97	1499.82	1495.28
2	1502.27	1504.02	1506.46	1507.51	1507.86	1506.81	1509.96	1503.32	1498.07	1492.83
3	1507.51	1509.61	1511.36	1509.96	1509.96	1508.21	1509.96	1504.02	1497.02	1490.38
4	1513.11	1514.86	1516.61	1513.46	1514.51	1511.01	1510.66	1504.02	1495.97	1488.63
5	1517.31	1520.8	1521.15	1516.95	1517.65	1514.16	1511.71	1504.72	1495.28	1487.23
6	1523.6	1527.45	1526.75	1520.8	1523.6	1517.31	1512.76	1505.42	1494.58	1487.23
7	1529.19	1533.04	1533.74	1526.75	1528.14	1520.8	1514.51	1506.12	1494.92	1486.88
8	1535.84	1539.68	1539.68	1532.69	1533.74	1525.35	1516.95	1506.81	1495.62	1486.18
9	1541.43	1545.63	1547.73	1540.04	1540.04	1529.19	1520.1	1509.26	1497.02	1485.48
10	1547.73	1552.97	1555.42	1546.68	1544.93	1534.79	1523.95	1513.11	1498.77	1485.13
11	1552.97	1560.32	1561.37	1554.37	1549.83	1541.08	1528.85	1515.91	1501.57	1485.48
12	1558.57	1565.56	1568.71	1562.07	1557.17	1545.63	1534.09	1518.7	1503.32	1485.83
13	1562.07	1571.16	1574.65	1570.11	1563.46	1551.22	1539.34	1522.55	1505.42	1484.78
14	1566.61	1576.4	1579.55	1578.85	1569.76	1557.17	1543.88	1527.1	1507.16	1484.43
15	1570.46	1581.3	1585.14	1585.84	1574.65	1564.51	1550.88	1531.64	1508.91	1482.34
16	1573.95	1585.14	1589.69	1593.19	1582.00	1570.81	1556.47	1535.49	1511.01	1479.89
17	1577.1	1589.34	1594.94	1598.08	1587.59	1577.8	1563.46	1541.78	1512.76	1474.64
18	1578.85	1592.49	1599.48	1602.98	1593.54	1583.4	1569.41	1547.38	1514.51	1469.4
19	1580.25	1594.94	1603.68	1607.88	1600.88	1588.99	1575.35	1553.67	1516.26	1462.75
20	1581.3	1597.03	1607.88	1613.12	1608.57	1595.64	1581.65	1558.22	1518.35	1457.86
21	1581.3	1599.13	1612.42	1620.81	1618.02	1601.93	1587.24	1563.11	1520.1	1451.91
22	1581.65	1601.93	1618.37	1629.56	1629.21	1611.02	1593.89	1569.06	1520.1	1446.32
23	1581.65	1604.38	1623.96	1643.89	1642.49	1621.51	1600.53	1573.95	1519.4	1440.37
24	1581.65	1608.22	1636.2	1661.73	1663.47	1632.00	1610.32	1579.2	1518.35	1435.13
25	1580.6	1611.37	1648.44	1680.61	1684.11	1649.14	1617.32	1583.75	1516.61	1428.48
26	1579.55	1614.52	1663.83	1709.63	1713.48	1669.42	1628.16	1588.99	1514.51	1422.19
27	1579.9	1620.11	1687.6	1741.46	1747.4	1697.74	1645.29	1594.24	1511.36	1416.94
28	1581.3	1630.61	1713.13	1779.57	1802.65	1743.56	1668.37	1604.38	1508.21	1412.05
29	1583.75	1644.59	1747.75	1834.47	1863.5	1808.25	1704.04	1620.81	1504.37	1406.8
30	1587.24	1657.88	1781.67	1888.68	1946.38	1879.23	1743.9	1642.84	1498.07	1402.96
31	1591.44	1676.76	1824.68	1955.47	2022.61	1972.6	1807.9	1676.76	1494.22	1399.11
32	1597.38	1696.35	1866.64	2017.01	2104.78	2061.07	1877.84	1712.78	1491.78	1395.96
33	1606.83	1719.08	1918.75	2091.5	2238.37	2172.27	1971.2	1757.89	1492.83	1393.52
34	1619.07	1751.25	1965.96	2157.94	2455.17	2359.71	2058.28	1823.98	1499.82	1392.47
35	1632.00	1781.32	2017.71	2274.03	2698.56	2562.53	2156.89	1896.02	1511.36	1392.82
36	1644.94	1814.54	2078.56	2492.59	2999.99	2812.91	2302.01	1990.09	1531.29	1392.82
37	1660.33	1844.62	2128.56	2748.91	3259.46	3062.24	2457.27	2071.91	1552.27	1393.52
38	1674.32	1866.64	2165.63	3064.68	3592.02	3291.63	2656.59	2165.63	1579.2	1395.26
39	1682.71	1886.58	2205.15	3321.01	3901.49	3599.36	2861.86	2245.01	1609.27	1398.76
40	1690.4	1906.16	2255.85	3596.56	4266.92	3882.26	3047.9	2349.92	1639.7	1401.56
41	1728.17	1973.3	2387.33	3961.64	4570.45	4160.96	3298.28	2478.25	1675.71	1404.01
42	1917.35	2113.18	2569.17	4355.74	4890.77	4455.4	3545.51	2610.44	1727.47	1408.2
43	2158.99	2340.82	2850.32	4678.15	5137.65	4712.42	3854.63	2770.94	1772.58	1412.4
44	2417.41	2527.56	3132.87	4963.85	5363.55	4906.15	4108.16	2981.11	1822.23	1417.64
45	2619.18	2699.26	3455.99	5282.77	5543.64	5045.33	4339.3	3203.51	1861.05	1425.69
46	2858.72	2893.34	3888.2	5516.01	5591.54	5117.71	4557.86	3396.19	1901.96	1434.78
47	3090.91	3049.3	4289.3	5696.8	5551.33	5089.04	4705.43	3574.18	1935.53	1447.72
48	3237.78	3194.77	4593.88	5753.45	5492.23	4957.21	4755.09	3751.13	1968.06	1459.96
49	3302.82	3212.6	4863.14	5764.29	5330.68	4779.56	4740.4	3849.04	2004.77	1472.55

4.12 Candela Tabulation-Cont.

50	3209.11	3183.58	5112.12	5755.9	5040.43	4606.12	4642.84	3888.2	2042.19	1482.34
51	3156.3	3284.29	5303.05	5637.7	4730.96	4382.66	4476.38	3847.29	2084.5	1494.22
52	3121.68	3439.2	5412.5	5360.4	4309.93	4153.27	4293.15	3730.84	2119.82	1506.46
53	3114.34	3631.88	5422.64	4967.7	3903.94	3831.9	4074.59	3569.99	2180.67	1519.75
54	3115.04	3805.33	5375.09	4371.82	3445.85	3515.78	3921.07	3410.88	2230.67	1531.64
55	3112.94	3991.36	5332.42	3903.94	3084.62	3188.47	3771.06	3228.69	2277.88	1536.19
56	3098.95	4188.24	5263.88	3414.72	2680.37	2825.49	3637.13	3081.82	2315.3	1520.8
57	3068.53	4321.12	5019.45	3007.33	2334.88	2527.91	3437.45	2941.24	2326.49	1509.61
58	3013.28	4412.04	4674.31	2620.93	1996.73	2192.21	3210.5	2777.59	2307.26	1509.96
59	2951.73	4455.05	4212.37	2202.7	1672.92	1916.65	2897.88	2623.03	2257.95	1489.33
60	2907.32	4494.92	3798.68	1906.51	1407.15	1616.97	2624.07	2480.00	2135.91	1451.21
61	2874.45	4533.38	3368.21	1598.08	1199.79	1406.1	2359.71	2311.45	2043.24	1397.01
62	2824.45	4551.91	2819.2	1313.09	989.27	1202.58	2025.06	2184.51	1944.63	1355.05
63	2760.45	4557.86	2478.25	1117.96	851.50	1031.93	1793.56	2075.06	1839.02	1330.57
64	2732.13	4582.69	2179.97	975.29	742.74	923.88	1592.14	1954.77	1686.2	1309.24
65	2762.2	4685.85	1874.34	850.45	685.39	847.65	1394.91	1848.11	1508.91	1280.91
66	2840.88	4787.26	1657.53	763.37	655.32	794.15	1247.69	1705.79	1328.47	1235.11
67	2934.6	4910.00	1452.26	677.00	628.39	715.12	1078.79	1535.49	1126.7	1141.39
68	3056.64	5122.26	1303.99	603.22	572.09	622.80	934.02	1371.83	792.05	1000.11
69	3275.55	5375.78	1149.78	550.06	520.34	557.76	772.82	1179.15	687.91	791.00
70	3520.33	5774.43	1032.63	497.61	462.99	500.41	652.52	1024.24	593.88	690.25
71	3604.26	6091.6	928.43	458.09	419.28	458.09	554.26	778.76	506.60	593.14
72	3560.89	6189.51	818.27	425.92	385.36	436.41	463.69	676.54	434.67	496.70
73	3405.63	6006.63	731.20	389.56	352.14	419.28	403.19	560.20	381.76	440.47
74	3222.39	5637.00	629.44	355.63	323.81	366.48	342.35	440.08	333.67	386.86
75	3055.59	5222.62	573.84	329.41	301.43	326.26	309.13	353.05	303.92	330.56
76	2851.72	4863.49	504.25	307.38	277.30	296.54	270.66	295.24	277.93	291.75
77	2686.32	4507.85	450.40	288.49	259.47	271.01	244.08	263.77	262.34	260.03
78	2494.34	4114.1	395.50	269.96	241.64	240.59	217.86	237.26	247.02	241.15
79	2309.35	3788.19	345.84	250.03	226.95	219.96	198.97	219.36	229.64	221.46
80	2081.36	3357.72	309.82	236.04	212.61	200.37	182.19	201.18	212.37	205.65
81	1725.37	2925.51	275.56	217.16	195.83	183.24	179.39	177.08	199.71	190.02
82	1462.05	2360.06	241.64	198.97	181.14	180.79	149.00	157.47	185.16	169.39
83	1214.47	1909.66	216.81	181.49	180.09	152.60	137.71	142.08	171.07	153.44
84	1001.86	1559.27	191.28	181.49	179.22	138.41	120.57	124.49	154.25	138.58
85	761.27	1228.81	180.44	146.56	161.87	123.51	107.18	111.83	140.12	122.08
86	587.13	985.78	147.15	128.44	140.61	112.50	93.44	97.95	123.83	108.12
87	442.01	738.20	127.36	112.46	123.65	100.92	81.83	86.41	109.49	90.75
88	274.16	551.11	104.70	94.52	105.36	90.29	65.92	73.78	94.80	76.76
89	185.69	316.47	84.94	80.81	86.62	80.64	51.16	61.34	77.46	61.44
90	94.56	198.62	68.29	65.39	73.96	65.71	41.12	49.41	62.94	50.67
91	70.15	188.13	56.20	54.73	64.24	53.12	37.28	42.91	49.17	42.07
92	53.26	98.93	43.15	44.66	54.34	44.13	31.79	35.84	38.99	30.00
93	38.68	68.82	33.22	32.94	41.61	37.52	27.70	23.36	26.19	22.27
94	28.39	40.11	23.29	23.99	32.49	27.52	20.35	18.08	18.22	15.70
95	18.60	28.22	16.57	17.14	25.81	20.46	15.63	14.30	13.81	10.80
96	11.37	19.83	12.06	10.98	19.79	16.30	12.17	10.73	9.83	7.87
97	6.16	11.96	9.76	8.74	12.69	11.57	8.60	8.29	6.85	5.38
98	2.90	5.63	8.18	7.13	8.18	8.15	6.01	6.12	4.93	4.16
99	1.05	3.78	7.10	6.43	5.95	6.05	4.48	4.69	3.46	3.60
100	1.12	3.01	6.22	5.80	5.07	4.41	3.15	3.95	3.18	3.29
101	1.29	2.27	5.11	5.42	4.48	3.60	2.03	3.53	3.15	3.46
102	1.15	1.99	4.76	4.76	4.06	3.04	1.71	3.39	3.11	3.46



LCTECH



4.12 Candela Tabulation-Cont.

103	1.15	1.71	4.20	4.48	3.81	2.94	1.61	3.46	3.18	3.60
104	1.08	1.54	3.57	4.30	3.64	2.66	1.71	3.50	3.32	3.88
105	1.12	1.47	3.25	3.81	3.39	2.69	1.75	3.67	3.36	3.92
106	1.08	1.33	2.94	3.60	3.36	2.73	1.64	3.95	3.53	4.13
107	1.08	1.15	2.55	3.25	3.22	2.76	1.82	3.99	3.67	4.30
108	1.05	1.22	2.45	3.08	3.11	2.62	1.82	4.20	3.95	4.62
109	1.05	1.26	2.24	3.04	2.94	2.59	1.99	4.34	4.02	4.76
110	1.05	1.19	2.06	2.76	2.94	2.62	1.82	4.51	4.16	4.86
111	1.12	1.22	1.85	2.59	2.87	2.41	1.89	4.69	4.30	5.07
112	1.12	1.12	1.75	2.48	2.66	2.48	1.99	4.69	4.48	5.35
113	1.05	1.12	1.57	2.41	2.59	2.45	1.96	4.86	4.69	5.46
114	1.01	1.12	1.50	2.10	2.48	2.31	1.92	4.90	4.86	5.53
115	0.94	1.15	1.40	2.13	2.31	2.31	1.85	5.04	4.90	5.70
116	0.94	1.12	1.33	1.78	2.24	2.38	1.99	5.28	5.07	5.88
117	1.05	1.05	1.33	1.78	2.27	2.17	2.06	5.35	5.25	5.98
118	1.08	1.12	1.36	1.89	2.20	2.24	2.10	5.53	5.42	6.12
119	1.01	1.12	1.33	1.75	2.06	2.38	2.24	5.59	5.56	6.26
120	1.22	1.22	1.43	1.82	2.24	2.52	2.52	5.67	5.59	6.19
121	1.19	1.36	1.50	1.82	2.27	2.73	2.87	5.53	5.56	6.12
122	1.29	1.36	1.61	1.99	2.52	3.01	3.18	5.38	5.35	5.98
123	1.54	1.47	1.71	2.10	2.59	3.18	3.50	5.25	5.46	5.74
124	1.57	1.64	1.78	2.31	2.66	3.36	3.71	5.21	5.21	5.67
125	1.68	1.64	2.06	2.31	2.87	3.64	4.23	4.93	5.07	5.35
126	1.96	1.89	2.13	2.48	3.04	3.92	4.48	4.97	4.90	5.25
127	1.96	2.03	2.27	2.52	3.29	4.09	4.83	4.76	4.65	5.04
128	2.13	2.13	2.48	2.73	3.43	4.27	4.90	4.51	4.62	4.76
129	2.20	2.20	2.41	2.83	3.53	4.48	5.17	4.41	4.44	4.76
130	2.17	2.34	2.59	2.83	3.81	4.55	5.32	4.13	4.23	4.27
131	2.31	2.34	2.59	2.83	3.67	4.65	5.49	3.85	3.92	4.09
132	2.45	2.41	2.55	2.87	3.74	4.76	5.56	3.64	3.71	3.95
133	2.38	2.38	2.52	2.94	3.67	4.69	5.38	3.50	3.53	3.74
134	2.24	2.31	2.48	2.90	3.67	4.65	5.42	3.36	3.50	3.53
135	2.27	2.31	2.59	2.83	3.67	4.41	5.28	3.11	3.18	3.39
136	2.10	2.27	2.45	2.69	3.50	4.48	5.11	3.15	3.36	3.29
137	2.20	2.24	2.34	2.73	3.46	4.16	5.00	3.18	3.43	3.53
138	2.20	2.13	2.34	2.59	3.32	3.99	4.79	3.22	3.39	3.50
139	2.06	2.20	2.34	2.69	3.32	4.09	4.72	3.29	3.39	3.46
140	2.27	2.34	2.52	2.83	3.43	4.06	4.72	3.32	3.50	3.50
141	2.24	2.41	2.59	2.83	3.36	4.02	4.65	3.32	3.46	3.46
142	2.45	2.48	2.66	2.94	3.36	3.92	4.44	3.39	3.46	3.57
143	2.62	2.55	2.66	2.94	3.29	3.81	4.48	3.36	3.50	3.60
144	2.69	2.69	2.83	2.94	3.29	3.95	4.41	3.57	3.71	3.64
145	2.83	2.83	2.94	3.08	3.50	3.88	4.34	3.78	3.88	3.74
146	3.04	3.11	3.04	3.25	3.46	3.92	4.30	3.74	3.78	3.74
147	3.11	3.11	3.25	3.36	3.71	4.02	4.37	3.99	4.02	3.88
148	3.43	3.29	3.46	3.53	3.71	4.09	4.55	4.06	4.23	4.02
149	3.64	3.53	3.50	3.67	3.88	4.20	4.58	3.99	4.02	3.99
150	3.67	3.74	3.78	3.95	4.13	4.44	4.79	3.92	4.06	3.92
151	4.06	4.09	3.99	4.09	4.34	4.65	5.21	3.81	3.92	3.88
152	4.16	4.16	4.27	4.27	4.51	4.79	5.17	3.88	3.92	3.81
153	4.34	4.30	4.37	4.41	4.48	4.76	5.04	3.92	3.99	3.85
154	4.48	4.48	4.41	4.55	4.69	5.00	5.07	3.92	3.95	3.85
155	4.62	4.72	4.72	4.79	4.83	4.97	5.21	4.09	4.09	3.99



LCTECH



4.12 Candela Tabulation-Cont.

156	4.93	4.83	4.97	5.07	5.11	5.32	5.46	4.13	4.06	3.99
157	5.07	5.11	5.17	5.17	5.35	5.42	5.56	4.16	4.13	4.16
158	5.38	5.35	5.42	5.46	5.53	5.63	5.67	4.34	4.34	4.34
159	5.59	5.63	5.56	5.70	5.70	5.77	5.98	4.48	4.48	4.48
160	5.84	5.84	5.77	5.80	5.95	6.12	6.16	4.51	4.55	4.58
161	5.98	6.01	6.01	5.98	6.01	6.22	6.29	4.83	4.72	4.86
162	6.19	6.08	6.08	6.22	6.22	6.47	6.29	5.04	4.97	5.04
163	6.26	6.29	6.22	6.33	6.36	6.47	6.36	5.17	5.21	5.21
164	6.47	6.43	6.29	6.47	6.54	6.47	6.57	5.49	5.42	5.42
165	6.54	6.54	6.50	6.61	6.61	6.61	6.78	5.56	5.67	5.46
166	6.71	6.64	6.64	6.68	6.61	6.64	6.71	5.80	5.80	5.84
167	6.78	6.71	6.68	6.78	6.85	6.75	6.85	5.91	5.98	5.91
168	6.89	6.89	6.78	6.78	6.82	6.85	6.96	5.95	5.98	6.05
169	7.03	6.85	6.99	6.85	6.89	6.96	6.99	6.19	6.29	6.22
170	7.03	6.92	6.99	6.92	7.13	7.03	7.10	6.29	6.40	6.22
171	7.24	7.13	6.99	6.96	7.03	7.13	7.13	6.33	6.40	6.40
172	7.03	7.13	7.10	7.06	7.03	7.13	7.10	6.54	6.57	6.61
173	7.20	7.06	7.10	7.13	7.06	7.17	7.13	6.64	6.68	6.68
174	7.17	7.24	7.10	7.13	6.99	7.10	7.13	6.78	6.85	6.89
175	7.20	7.27	7.20	7.06	7.17	7.13	7.20	6.89	6.96	6.82
176	7.24	7.10	7.17	7.17	7.20	7.20	7.24	6.96	7.03	7.03
177	7.27	7.17	7.17	7.17	7.31	7.20	7.20	7.06	7.20	6.99
178	7.17	7.17	7.20	7.24	7.06	7.20	7.17	7.17	7.13	7.10
179	7.10	7.20	7.20	7.24	7.17	7.17	7.24	7.31	7.20	7.24
180	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21

Vert. Horizontal Angles

	150	165	180	195	210	225	240	255	270	285
0	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58	1499.58
1	1491.08	1490.03	1489.33	1491.43	1494.92	1498.42	1501.92	1505.42	1511.36	1503.67
2	1487.23	1486.53	1485.13	1486.88	1491.08	1496.32	1499.82	1505.07	1512.41	1505.77
3	1483.73	1482.69	1482.34	1483.38	1487.58	1493.18	1498.77	1505.42	1514.51	1508.56
4	1482.69	1481.29	1481.29	1482.69	1485.48	1491.43	1498.42	1506.46	1516.26	1512.06
5	1481.99	1479.54	1479.89	1481.29	1485.13	1491.08	1498.77	1508.21	1518.7	1515.91
6	1480.94	1478.14	1477.79	1479.89	1484.78	1491.08	1499.47	1509.61	1521.85	1520.45
7	1479.54	1475.34	1474.64	1478.14	1484.43	1491.78	1501.22	1512.76	1525.00	1523.95
8	1477.44	1472.55	1472.55	1476.39	1483.73	1492.48	1502.97	1515.56	1529.19	1528.14
9	1476.04	1469.4	1468.35	1473.59	1483.73	1492.83	1505.42	1518.7	1533.04	1533.74
10	1474.29	1465.2	1464.15	1470.8	1482.34	1493.53	1507.86	1521.15	1536.19	1539.68
11	1472.19	1460.65	1458.56	1466.25	1480.94	1494.22	1510.31	1525.35	1539.68	1543.88
12	1468.7	1454.36	1452.26	1461.7	1478.49	1494.92	1513.11	1530.24	1546.33	1549.13
13	1464.85	1447.37	1444.57	1455.06	1476.39	1494.92	1516.61	1537.24	1553.67	1554.02
14	1458.56	1440.02	1436.88	1448.77	1471.85	1495.28	1520.45	1543.53	1558.57	1560.67
15	1450.16	1429.88	1430.58	1441.07	1466.6	1494.58	1525.7	1550.18	1564.16	1567.31
16	1443.17	1423.24	1423.94	1435.13	1460.65	1493.18	1529.89	1556.12	1571.16	1573.61
17	1435.48	1415.89	1417.29	1428.13	1453.31	1490.73	1533.04	1564.51	1577.8	1579.55
18	1428.48	1407.15	1410.65	1422.19	1447.37	1487.58	1536.19	1571.16	1583.75	1586.54
19	1420.44	1400.86	1404.7	1415.55	1440.37	1483.73	1537.59	1579.2	1590.39	1594.94
20	1413.1	1394.21	1399.11	1409.25	1434.78	1478.84	1538.64	1585.84	1596.68	1602.28
21	1406.1	1388.62	1391.07	1401.91	1428.48	1475.34	1538.99	1592.49	1603.33	1608.92
22	1398.41	1380.58	1383.72	1395.61	1422.54	1471.5	1540.04	1598.08	1609.97	1614.17
23	1392.47	1374.28	1375.33	1387.92	1417.64	1466.95	1540.38	1603.33	1616.97	1621.16

4.12 Candela Tabulation-Cont.

24	1385.47	1367.64	1368.69	1381.63	1411.00	1461.36	1539.68	1607.53	1623.96	1629.56
25	1379.18	1362.04	1362.74	1374.98	1404.36	1454.71	1538.29	1611.72	1630.26	1637.95
26	1372.88	1356.8	1359.24	1368.69	1397.01	1447.37	1535.84	1615.22	1640.4	1651.94
27	1368.69	1354.00	1356.8	1364.49	1390.72	1440.02	1531.99	1618.71	1656.48	1668.02
28	1363.79	1352.95	1355.75	1361.69	1386.17	1434.43	1527.45	1622.21	1676.76	1697.74
29	1361.34	1351.9	1355.05	1359.6	1383.37	1429.53	1522.55	1627.81	1709.29	1733.76
30	1360.29	1351.2	1353.65	1359.24	1382.67	1424.29	1517.31	1635.5	1747.05	1791.46
31	1359.6	1350.85	1352.95	1358.89	1381.63	1419.39	1509.61	1647.74	1806.15	1853.36
32	1359.94	1350.85	1351.2	1358.55	1380.58	1414.15	1501.57	1663.83	1869.44	1926.09
33	1359.94	1350.15	1350.15	1356.45	1379.18	1411.00	1497.37	1691.1	1958.96	2029.95
34	1360.29	1349.8	1350.5	1355.05	1378.83	1407.5	1492.48	1723.62	2051.63	2151.64
35	1360.99	1349.8	1351.55	1352.95	1377.08	1406.45	1489.68	1773.28	2186.61	2356.91
36	1362.39	1350.5	1352.6	1352.6	1374.98	1405.4	1489.68	1829.58	2335.58	2610.09
37	1362.74	1350.85	1352.6	1352.6	1371.83	1404.7	1495.97	1908.26	2505.88	2839.13
38	1363.44	1352.6	1352.6	1351.9	1369.74	1403.31	1506.81	1999.53	2712.89	3104.55
39	1363.44	1352.6	1351.55	1348.76	1368.69	1402.26	1525.7	2083.45	2920.96	3336.74
40	1364.49	1352.25	1350.85	1346.31	1367.99	1402.26	1553.67	2188.36	3103.15	3593.41
41	1366.24	1350.85	1349.45	1343.86	1367.29	1402.61	1583.05	2282.43	3350.73	3917.58
42	1365.19	1345.96	1346.66	1340.36	1364.14	1403.31	1625.36	2384.19	3590.27	4245.59
43	1362.04	1342.81	1344.56	1335.82	1357.85	1404.7	1665.92	2524.06	3878.41	4511.00
44	1358.89	1341.06	1344.21	1333.02	1351.55	1407.15	1712.78	2671.28	4116.2	4735.5
45	1353.3	1341.41	1334.07	1329.87	1344.21	1408.9	1772.93	2867.81	4362.03	4945.67
46	1349.8	1319.03	1283.36	1313.44	1338.26	1409.95	1830.63	3041.6	4529.89	5074.35
47	1349.45	1259.58	1192.09	1251.54	1334.07	1413.1	1876.09	3238.48	4641.44	5152.68
48	1349.45	1184.75	1112.36	1179.15	1326.72	1417.99	1915.95	3398.64	4687.24	5129.6
49	1327.77	1098.03	1042.43	1091.73	1300.15	1427.09	1955.47	3569.99	4657.17	5031.34
50	1262.03	989.27	981.58	995.57	1236.5	1438.28	1987.29	3688.18	4555.76	4866.64
51	1172.86	913.74	900.80	906.75	1141.39	1456.46	2029.95	3765.46	4395.95	4700.18
52	1085.44	846.95	696.48	841.00	1046.97	1477.09	2065.62	3770.36	4217.96	4457.85
53	1015.15	695.22	696.48	693.40	976.34	1497.02	2106.53	3703.92	3998.71	4214.81
54	955.35	695.22	651.16	693.40	915.84	1502.27	2138.7	3590.97	3831.9	3902.19
55	881.22	658.57	630.95	659.76	841.70	1500.52	2162.48	3412.97	3662.65	3612.65
56	814.08	633.95	609.93	637.63	691.90	1480.94	2193.61	3248.62	3525.93	3247.57
57	698.23	612.17	591.68	614.13	682.11	1468.7	2216.34	3069.58	3335.69	2924.11
58	671.79	586.67	568.25	591.43	648.18	1466.6	2230.67	2927.61	3134.97	2610.79
59	636.72	563.66	548.98	559.01	625.77	1458.56	2224.38	2772.69	2846.83	2259.7
60	612.41	533.17	526.63	535.97	605.59	1427.09	2148.84	2644.36	2579.66	1971.55
61	584.68	510.16	507.68	512.61	580.70	1392.47	2064.92	2487.7	2278.23	1665.22
62	560.48	487.22	485.93	493.69	559.85	1363.44	1983.44	2350.62	1992.18	1413.8
63	533.49	468.97	466.38	471.80	538.35	1327.42	1908.26	2193.95	1798.11	1230.91
64	510.51	447.50	447.64	453.83	513.66	1295.95	1809.3	2048.48	1549.83	1072.5
65	485.79	429.45	420.64	433.09	493.59	1267.28	1659.98	1933.09	1340.71	919.68
66	466.00	410.26	402.46	413.96	470.96	1246.64	1477.09	1824.33	1203.28	829.12
67	445.47	386.86	374.76	394.10	449.91	1216.57	1302.94	1696.7	1058.16	786.80
68	420.89	363.15	347.49	368.96	429.59	1148.73	1087.89	1570.46	916.54	746.24
69	396.86	340.42	325.98	344.76	406.20	1049.42	798.69	1396.31	696.69	665.11
70	375.46	321.19	303.32	325.25	386.62	909.19	680.25	1236.15	643.12	578.74
71	352.00	297.87	275.00	300.91	364.10	680.71	578.67	1053.27	539.26	522.79
72	332.31	275.45	245.34	278.28	344.06	619.27	485.89	902.20	468.10	481.52
73	308.95	245.69	217.47	250.69	321.86	514.57	430.96	673.22	402.77	457.74
74	289.58	223.10	191.49	226.46	303.46	432.18	381.69	576.50	360.63	426.27
75	266.15	199.99	161.14	198.94	282.86	379.66	335.77	436.06	323.11	383.26
76	245.90	175.06	134.88	175.79	260.13	326.19	305.84	350.35	284.16	339.90

4.12 Candela Tabulation-Cont.

77	223.17	155.89	109.10	151.63	239.40	289.93	279.82	290.84	256.22	309.13
78	206.00	134.14	83.68	131.69	216.67	261.67	265.66	261.04	229.05	282.20
79	189.74	116.83	57.31	113.13	199.25	239.50	249.40	238.31	208.24	252.48
80	171.73	101.52	34.93	93.75	183.17	222.16	235.59	217.89	191.81	231.15
81	154.25	81.13	20.32	75.81	162.47	202.85	221.60	198.24	172.64	209.81
82	139.46	69.41	11.05	63.96	147.01	184.50	204.67	180.86	156.94	191.98
83	124.56	59.17	6.92	51.54	132.11	168.94	191.59	163.48	143.62	181.14
84	110.96	48.92	5.98	43.57	116.55	151.56	178.24	149.14	126.73	159.21
85	95.29	41.26	6.01	36.09	103.79	139.53	162.40	135.16	112.01	145.37
86	82.63	33.67	6.43	30.53	88.93	124.53	149.11	120.85	97.95	129.70
87	70.08	29.27	6.57	26.12	75.64	110.26	134.11	109.42	85.99	118.02
88	56.27	23.71	6.99	21.86	60.67	94.59	119.28	95.64	69.03	104.91
89	46.12	19.30	7.38	18.01	48.64	76.51	99.77	82.18	54.73	93.82
90	37.38	15.07	7.69	14.30	37.03	60.01	82.56	67.45	41.96	80.15
91	30.49	12.66	8.04	11.92	29.41	48.08	67.07	55.01	37.31	69.66
92	22.00	10.63	8.36	10.11	23.39	38.47	52.28	44.27	32.63	53.96
93	16.79	9.16	8.74	8.85	16.43	26.51	40.49	35.70	26.82	42.84
94	11.92	7.87	9.06	8.04	12.41	17.69	26.16	25.07	20.77	36.23
95	8.95	7.76	9.34	8.22	9.34	13.29	16.82	16.61	15.39	29.27
96	6.89	8.01	9.55	8.32	7.20	8.08	12.31	12.13	10.77	18.81
97	6.16	8.08	9.93	8.39	6.78	5.74	8.50	9.16	8.32	13.78
98	6.08	8.08	10.07	8.50	6.89	4.48	5.67	6.57	6.16	9.97
99	6.22	8.25	10.28	8.50	6.96	3.99	4.09	4.93	4.90	6.99
100	6.47	8.46	10.42	8.67	7.03	3.92	3.04	3.64	3.92	4.76
101	6.68	8.46	10.60	8.71	7.31	3.95	2.87	2.90	3.50	3.67
102	6.96	8.67	10.70	8.88	7.45	4.09	3.01	2.90	3.39	2.97
103	7.03	8.71	10.91	8.95	7.59	4.20	3.01	2.94	3.57	2.83
104	7.31	8.78	10.95	8.95	7.62	4.48	3.08	3.04	3.71	2.73
105	7.41	8.85	11.15	9.06	7.83	4.48	3.15	3.15	3.88	2.73
106	7.59	8.92	11.19	9.02	7.87	4.51	3.22	3.36	3.99	2.73
107	7.76	9.02	11.19	9.20	8.18	4.93	3.53	3.53	4.20	2.55
108	8.01	9.13	11.22	9.30	8.22	5.00	3.60	3.78	4.27	2.66
109	8.18	9.13	11.22	9.30	8.32	5.14	3.78	3.78	4.55	2.59
110	8.22	9.13	11.22	9.34	8.57	5.38	3.99	4.06	4.62	2.52
111	8.22	9.20	11.22	9.41	8.57	5.38	4.02	4.02	4.65	2.45
112	8.18	9.09	11.22	9.37	8.46	5.53	4.27	4.16	4.86	2.45
113	8.22	9.13	11.09	9.37	8.50	5.74	4.27	4.37	4.97	2.31
114	8.15	9.09	11.09	9.37	8.67	5.77	4.41	4.44	5.00	2.24
115	8.25	9.06	10.77	9.34	8.67	5.98	4.65	4.58	5.14	2.13
116	8.18	9.02	10.77	9.13	8.53	6.01	4.97	4.76	5.25	2.17
117	8.11	9.02	10.49	9.13	8.60	6.12	4.93	4.93	5.38	2.13
118	8.08	8.92	10.35	9.09	8.53	6.12	5.25	5.04	5.35	2.27
119	8.04	8.92	10.07	8.81	8.36	6.22	5.25	5.11	5.53	2.48
120	7.76	8.64	9.69	8.67	8.01	6.22	5.35	5.21	5.56	2.41
121	7.66	8.50	9.16	8.39	7.87	6.12	5.28	5.00	5.42	2.52
122	7.41	8.11	8.74	8.08	7.52	5.98	5.17	4.97	5.17	2.90
123	7.13	7.80	8.29	7.59	7.27	5.74	5.11	4.90	5.21	3.04
124	6.82	7.45	7.73	7.20	6.82	5.70	4.93	4.83	5.07	3.32
125	6.47	7.03	7.13	6.82	6.40	5.46	4.90	4.83	4.97	3.57
126	6.29	6.54	6.50	6.29	6.12	5.28	4.79	4.58	4.86	3.74
127	5.91	6.08	5.84	5.91	5.77	5.07	4.44	4.37	4.58	4.06
128	5.56	5.67	5.42	5.38	5.49	4.72	4.48	4.37	4.44	4.20
129	5.25	5.17	4.90	5.04	5.11	4.62	4.30	4.37	4.51	4.41



LCTECH



4.12 Candela Tabulation-Cont.

130	4.83	4.90	4.51	4.65	4.69	4.30	4.02	4.13	4.13	4.44
131	4.48	4.41	4.02	4.23	4.23	3.92	3.85	3.74	3.85	4.51
132	4.44	4.02	3.50	3.88	4.09	3.81	3.67	3.57	3.67	4.44
133	3.85	3.74	3.18	3.53	3.78	3.57	3.57	3.43	3.46	4.51
134	3.53	3.32	2.94	3.15	3.32	3.46	3.39	3.29	3.36	4.30
135	3.32	2.87	2.66	2.69	3.18	3.29	3.18	3.18	3.04	4.30
136	3.36	2.87	2.66	2.94	3.11	3.25	3.32	3.18	3.08	4.13
137	3.43	2.94	2.55	2.94	3.15	3.29	3.39	3.18	3.22	4.02
138	3.25	2.97	2.66	2.87	3.25	3.32	3.39	3.32	3.15	3.85
139	3.25	2.94	2.76	2.87	3.11	3.29	3.43	3.39	3.22	3.99
140	3.32	2.80	2.69	2.73	3.08	3.29	3.39	3.53	3.43	3.92
141	3.25	2.87	2.66	2.80	3.18	3.29	3.53	3.53	3.39	3.88
142	3.25	3.04	2.80	2.80	3.11	3.32	3.53	3.57	3.50	3.85
143	3.36	2.90	2.76	2.87	3.25	3.53	3.57	3.60	3.46	3.78
144	3.25	2.97	2.94	2.94	3.18	3.53	3.85	3.81	3.53	3.88
145	3.46	3.01	2.97	2.97	3.39	3.71	3.88	3.88	3.74	3.88
146	3.50	3.15	2.94	3.15	3.32	3.74	4.06	4.09	3.74	3.85
147	3.53	3.11	3.15	3.18	3.50	3.74	4.23	4.13	3.85	3.99
148	3.60	3.29	3.29	3.46	3.53	4.02	4.27	4.13	4.02	4.02
149	3.74	3.43	3.36	3.36	3.78	4.13	4.27	4.20	3.95	4.27
150	3.60	3.39	3.36	3.46	3.60	3.95	3.99	4.09	3.92	4.51
151	3.67	3.39	3.32	3.36	3.64	3.88	3.92	3.95	3.81	4.76
152	3.67	3.46	3.57	3.50	3.71	3.88	4.02	3.99	3.85	4.90
153	3.71	3.57	3.67	3.64	3.81	3.92	3.95	3.95	3.92	4.79
154	3.88	3.67	3.67	3.71	3.81	3.95	4.09	4.09	3.95	4.83
155	3.88	3.81	3.74	3.74	3.88	4.06	3.99	4.09	3.99	5.04
156	3.95	3.99	3.92	4.02	3.99	4.13	4.13	4.16	4.13	5.28
157	4.20	4.09	4.09	4.06	4.27	4.34	4.23	4.20	4.16	5.38
158	4.23	4.27	4.23	4.23	4.37	4.30	4.37	4.34	4.37	5.74
159	4.37	4.51	4.48	4.37	4.41	4.55	4.51	4.48	4.51	5.80
160	4.65	4.41	4.58	4.51	4.65	4.55	4.69	4.69	4.65	5.91
161	4.83	4.79	4.86	4.79	4.79	4.76	4.83	4.79	4.69	6.19
162	5.07	5.04	5.00	4.97	4.93	5.04	5.07	5.00	5.04	6.40
163	5.14	5.25	5.14	5.14	5.17	5.21	5.28	5.14	5.32	6.54
164	5.25	5.46	5.46	5.46	5.46	5.42	5.35	5.38	5.32	6.64
165	5.59	5.59	5.56	5.59	5.42	5.59	5.67	5.63	5.63	6.61
166	5.77	5.80	5.74	5.70	5.77	5.59	5.77	5.70	5.74	6.78
167	5.88	5.95	5.95	5.91	5.95	5.98	5.95	5.91	5.98	6.78
168	6.19	6.12	6.05	6.12	6.12	5.98	6.05	6.08	6.05	6.82
169	6.19	6.22	6.26	6.22	6.16	6.22	6.19	6.12	6.19	6.99
170	6.40	6.43	6.36	6.33	6.33	6.36	6.50	6.33	6.33	7.06
171	6.43	6.47	6.43	6.33	6.54	6.61	6.40	6.36	6.43	7.10
172	6.68	6.61	6.61	6.57	6.54	6.47	6.57	6.57	6.54	7.13
173	6.75	6.68	6.78	6.78	6.75	6.68	6.75	6.75	6.75	7.10
174	6.78	6.71	6.82	6.82	6.89	6.78	6.71	6.85	6.82	7.24
175	6.85	6.92	6.92	7.03	6.85	6.85	6.85	6.96	6.85	7.34
176	6.99	6.92	7.03	6.96	6.85	7.03	6.92	6.82	7.03	7.38
177	7.13	6.99	7.10	7.03	7.13	7.06	7.06	7.13	7.17	7.34
178	7.10	7.20	7.24	7.27	7.03	7.20	7.17	7.27	7.13	7.34
179	7.20	7.06	7.06	7.10	7.27	7.20	7.06	7.13	7.20	7.34
180	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21



LCTECH



4.12 Candela Tabulation-Cont.

Vert. Angles	Horizontal Angles				
	300	315	330	345	360
0	1499.58	1499.58	1499.58	1499.58	1499.58
1	1504.02	1501.57	1500.17	1498.77	1497.37
2	1507.16	1505.42	1505.07	1504.37	1502.27
3	1509.96	1510.31	1511.36	1509.96	1507.51
4	1513.11	1514.86	1517.31	1515.91	1513.11
5	1516.61	1520.1	1522.55	1520.45	1517.31
6	1521.15	1524.65	1526.75	1526.4	1523.6
7	1526.4	1529.19	1533.74	1531.64	1529.19
8	1531.64	1535.14	1539.34	1536.54	1535.84
9	1536.89	1540.38	1545.63	1543.53	1541.43
10	1543.53	1545.98	1551.92	1550.88	1547.73
11	1549.13	1551.22	1557.52	1556.82	1552.97
12	1555.07	1555.77	1562.41	1562.77	1558.57
13	1559.27	1561.37	1567.66	1566.96	1562.07
14	1564.86	1566.26	1572.21	1571.51	1566.61
15	1569.76	1571.86	1577.45	1575.35	1570.46
16	1577.1	1577.1	1582.00	1579.9	1573.95
17	1583.05	1582.35	1586.19	1583.05	1577.1
18	1588.99	1588.64	1590.04	1585.84	1578.85
19	1594.59	1594.59	1593.54	1588.29	1580.25
20	1602.98	1600.88	1595.64	1591.09	1581.3
21	1609.62	1606.13	1598.08	1592.49	1581.3
22	1618.02	1612.07	1601.23	1593.19	1581.65
23	1626.06	1620.11	1605.43	1593.19	1581.65
24	1639.00	1631.3	1613.82	1594.24	1581.65
25	1654.03	1649.84	1623.26	1597.38	1580.6
26	1675.02	1670.82	1635.85	1601.93	1579.55
27	1700.89	1697.05	1655.43	1607.17	1579.9
28	1741.46	1731.66	1676.41	1613.12	1581.3
29	1787.27	1775.03	1706.49	1622.56	1583.75
30	1855.11	1820.84	1738.66	1635.85	1587.24
31	1922.95	1882.73	1780.97	1650.19	1591.44
32	1997.78	1944.28	1819.79	1667.67	1597.38
33	2095.34	2008.27	1869.09	1694.95	1606.83
34	2245.36	2087.3	1922.25	1721.87	1619.07
35	2446.78	2158.29	1963.16	1758.24	1632.00
36	2701.7	2279.98	2029.6	1795.66	1644.94
37	3031.11	2517.07	2098.84	1828.53	1660.33
38	3351.08	2803.11	2149.2	1862.45	1674.32
39	3640.27	3165.04	2197.45	1886.58	1682.71
40	4025.28	3454.94	2239.41	1909.66	1690.4
41	4356.09	3792.74	2319.14	1963.86	1728.17
42	4723.61	4121.45	2452.38	2086.6	1917.35
43	5007.91	4520.09	2689.12	2273.68	2158.99
44	5289.76	4849.15	2962.22	2487.34	2417.41
45	5492.58	5139.05	3276.59	2719.54	2619.18
46	5655.54	5431.04	3671.05	2899.28	2858.72
47	5698.2	5643.65	4084.73	3092.66	3090.91
48	5658.68	5801.36	4414.84	3252.82	3237.78
49	5585.95	5840.52	4760.33	3324.85	3302.82



LCTECH



4.12 Candela Tabulation-Cont.

50	5436.28	5833.53	5008.26	3305.97	3209.11
51	5194.65	5806.95	5225.07	3304.22	3156.3
52	4795.3	5675.12	5342.91	3417.52	3121.68
53	4418.68	5382.78	5412.5	3567.54	3114.34
54	3964.09	4998.82	5421.59	3761.97	3115.04
55	3567.54	4512.75	5381.03	3932.61	3112.94
56	3129.38	3950.45	5326.83	4132.99	3098.95
57	2776.19	3509.14	5224.02	4277.06	3068.53
58	2424.75	3019.22	5015.6	4364.48	3013.28
59	2035.55	2632.47	4608.91	4406.1	2951.73
60	1709.29	2221.23	4117.25	4443.16	2907.32
61	1474.29	1909.31	3738.54	4479.88	2874.45
62	1223.57	1589.34	3137.07	4492.47	2824.45
63	1032.63	1307.49	2742.27	4485.13	2760.45
64	863.73	1115.86	2406.92	4486.52	2732.13
65	764.42	953.61	2062.47	4587.58	2762.2
66	684.34	848.70	1807.55	4737.6	2840.88
67	652.17	761.27	1568.71	4943.57	2934.6
68	641.33	673.15	1401.56	5162.13	3056.64
69	602.87	609.16	1232.66	5367.04	3275.55
70	542.37	545.87	1102.22	5755.2	3520.33
71	489.57	501.46	984.73	6202.45	3604.26
72	440.61	457.39	861.99	6409.82	3560.89
73	396.90	426.97	766.87	6257.7	3405.63
74	362.28	394.10	655.67	5866.75	3222.39
75	337.45	359.13	585.03	5490.48	3055.59
76	311.92	332.90	522.79	5067.36	2851.72
77	294.09	312.62	468.24	4710.32	2686.32
78	268.21	289.89	411.24	4362.03	2494.34
79	251.78	271.01	364.38	3977.37	2309.35
80	235.34	251.08	326.96	3629.78	2081.36
81	220.65	236.39	292.69	3164.7	1725.37
82	201.07	216.11	257.02	2667.44	1462.05
83	186.03	199.32	227.30	2044.99	1214.47
84	180.79	181.84	204.57	1637.25	1001.86
85	180.44	181.84	183.94	1333.72	761.27
86	170.30	148.13	180.09	1051.17	587.13
87	142.57	129.94	140.57	841.00	442.01
88	127.85	110.57	117.98	624.20	274.16
89	109.91	94.21	95.33	408.79	185.69
90	89.73	76.48	76.41	233.94	94.56
91	78.37	64.31	63.47	186.03	70.15
92	66.37	53.08	50.15	148.20	53.26
93	55.04	43.50	39.41	78.30	38.68
94	44.55	31.54	28.78	55.50	28.39
95	34.02	22.20	20.95	34.02	18.60
96	29.20	15.74	14.79	22.59	11.37
97	21.54	10.42	11.64	15.18	6.16
98	15.39	8.11	9.09	8.29	2.90
99	8.25	6.89	7.73	4.34	1.05
100	5.56	6.29	6.89	3.32	1.12
101	4.65	5.67	5.84	2.69	1.29
102	4.30	5.21	5.21	2.13	1.15



LCTECH



4.12 Candela Tabulation-Cont.

103	4.02	4.83	4.44	1.92	1.15
104	3.78	4.37	3.81	1.64	1.08
105	3.60	4.09	3.50	1.43	1.12
106	3.57	3.71	3.15	1.43	1.08
107	3.25	3.39	2.87	1.29	1.08
108	3.22	3.32	2.55	1.26	1.05
109	3.11	2.94	2.31	1.33	1.05
110	2.90	2.87	2.13	1.22	1.05
111	2.90	2.69	2.03	1.22	1.12
112	2.69	2.41	1.85	1.19	1.12
113	2.73	2.38	1.75	1.08	1.05
114	2.41	2.17	1.61	1.22	1.01
115	2.34	2.17	1.47	1.12	0.94
116	2.24	1.96	1.40	1.05	0.94
117	2.20	1.85	1.40	1.12	1.05
118	2.06	2.06	1.40	1.05	1.08
119	2.13	1.71	1.40	1.08	1.01
120	2.17	1.82	1.43	1.26	1.22
121	2.24	1.92	1.47	1.33	1.19
122	2.34	1.92	1.68	1.43	1.29
123	2.48	2.10	1.68	1.54	1.54
124	2.62	2.10	1.78	1.68	1.57
125	2.73	2.31	2.06	1.68	1.68
126	3.04	2.41	2.13	2.06	1.96
127	3.15	2.59	2.27	2.03	1.96
128	3.29	2.69	2.41	2.13	2.13
129	3.57	2.73	2.48	2.27	2.20
130	3.53	2.90	2.55	2.34	2.17
131	3.64	2.94	2.59	2.45	2.31
132	3.67	2.87	2.52	2.41	2.45
133	3.53	3.04	2.52	2.31	2.38
134	3.57	2.80	2.48	2.38	2.24
135	3.39	2.76	2.48	2.38	2.27
136	3.29	2.76	2.31	2.20	2.10
137	3.25	2.66	2.34	2.13	2.20
138	3.11	2.62	2.31	2.17	2.20
139	3.32	2.59	2.38	2.17	2.06
140	3.32	2.83	2.48	2.34	2.27
141	3.29	2.73	2.55	2.38	2.24
142	3.32	2.83	2.48	2.59	2.45
143	3.25	3.04	2.69	2.62	2.62
144	3.36	2.97	2.83	2.69	2.69
145	3.39	3.15	2.94	2.87	2.83
146	3.50	3.22	3.01	2.90	3.04
147	3.64	3.29	3.32	3.08	3.11
148	3.78	3.43	3.53	3.39	3.43
149	4.06	3.60	3.46	3.57	3.64
150	4.06	3.85	3.74	3.78	3.67
151	4.44	4.20	3.95	3.99	4.06
152	4.55	4.34	4.16	4.23	4.16
153	4.55	4.48	4.41	4.27	4.34
154	4.72	4.44	4.51	4.41	4.48
155	4.97	4.86	4.65	4.65	4.62



LCTECH



Ref. No. LCZP-16030808

4.12 Candela Tabulation-Cont.

156	5.11	4.97	4.93	4.83	4.93
157	5.42	5.14	5.25	5.00	5.07
158	5.53	5.42	5.28	5.28	5.38
159	5.77	5.67	5.63	5.56	5.59
160	6.01	5.80	5.80	5.77	5.84
161	6.05	6.05	5.95	5.95	5.98
162	6.22	6.05	6.05	6.19	6.19
163	6.36	6.36	6.33	6.22	6.26
164	6.43	6.40	6.43	6.54	6.47
165	6.68	6.54	6.50	6.61	6.54
166	6.61	6.71	6.68	6.68	6.71
167	6.89	6.78	6.92	6.78	6.78
168	6.85	6.89	6.78	6.92	6.89
169	6.85	6.96	7.06	7.03	7.03
170	7.13	7.06	7.06	7.13	7.03
171	7.17	7.20	7.17	7.24	7.24
172	7.27	7.17	7.17	7.17	7.03
173	7.24	7.27	7.17	7.24	7.20
174	7.24	7.34	7.31	7.20	7.17
175	7.41	7.27	7.27	7.31	7.20
176	7.31	7.41	7.24	7.24	7.24
177	7.31	7.34	7.17	7.31	7.27
178	7.34	7.20	7.31	7.24	7.17
179	7.27	7.24	7.10	7.10	7.10
180	7.21	7.21	7.21	7.21	7.21

****End of test report****