



LED-8033E/M 45W Post Top Retrofit

Models

LED-8033-XX-E27-A, 120-277VAC, CE, ROHS, 3000K, 4000K & 5700K CCT

Description

Light Efficient Design's Post Top/Bollard retrofits replace HID lamps up to 175W HID. Advanced Active Cooling technology improves thermal performance and delivers the highest light output along with longer LED and driver life versus lamps limited to passive cooling. Internal fans have thermal feedback and a long life (70,000 hours).

Features

- 35W LED Replaces up to 175W MH or HPS HID Lamps
- Up to 5,617 lumen output and 150 LPW efficacy
- Available in E27 screw base
- Suitable for enclosed fittings
- Advanced active cooling: Active cooling and dynamic temperature control
- Integrated 6kA surge
- 50,000 hour rated LED life (supported by LM80 and ISTMT reports (see website))
- 5 Year Limited Warranty - see website for details
- Insect/dust resistant housing



TECHNICAL SPECIFICATIONS

MODEL	VOLTAGE	WATTAGE	LUMENS*	LPW*	REPLACES	BASE	CCT	CRI*	THD*	PF*	R9*	Duv*	LIGHT DISTRIBUTION	DIMMABLE
LED-8033-NW-E27-A	120-277V	35W	4239	121	175W HID	E27	3000K	82.3	13.68	0.9791	12	0.0015	360°	No
LED-8033-CW-E27-A			5468	150			4000K	83.7	16.17	0.973	16	0.0009		
LED-8033-DL-E27-A			5617	150			5700K	84.8	16.64	0.9673	21	0.0023		




PACKAGING SPECIFICATIONS

MODEL	PRODUCT DIMENSION	PRODUCT WEIGHT	UNIT CARTON DIMENSION	UNIT CTN WT	SHIPPER CARTON DIMENSION	SHIPPER CTN WT	CARTON QUANTITY
LED-8039-XX-E27-A	211 X 84 mm	.47 KG	125 X 125 X 265 mm	0.56 KG	395 X 385 X 280 mm	5.45KG	9

ENERGY SAVING vs. HID

LED Lamp Power (watts)	35	
HID Lamp Power (watts)	175	
HID Ballast Power (watts)	26	
Total power Savings (watts)	166.25	
Annual Energy Savings	£66	
Lifetime Energy Savings over 50,000 hrs	£648	

Mounting Orientation

		BASE DOWN	BASE UP	HORIZONTAL
				
		APPROVED	APPROVED	APPROVED
Recommended Minimum Fitting Size		THERMAL SPECIFICATIONS		
		OPERATING TEMPERATURE		-40°C to +50°C
Width	254	IN-SITU TEMP MEASUREMENT/L70		
Height	188	LED TEMPERATURE*		64.2
Volume (Cu. Cm.)	4775.2	L70 LED LUMEN MAINTAINENCE*		>60,000 hrs
* FROM ISTMT REPORT AT 25°C				

LIGHT EFFICIENT DESIGN UK: Intermail GFS ■ Horizon West ■ Canal View Road ■ Newbury ■ Berkshire ■ RG14 5XF ■ United Kingdom
■ +44 1635 904204 ■ sales@ledukltd.com ■ www.led-llc.com